

# Final Report of the Mid-Atlantic Marine Wildlife Surveys, Modeling, and Data: Workshop to Establish Coordination & Communication

Appendix E: Bibliography of References  
Provided by Participants

July 2013

## Appendix E: Bibliography of References Provided by Participants

### Reports on Activities in the Mid-Atlantic

- New Jersey Department of Environmental Protection (prepared by Geo-Marine, Inc.). 2010. *New Jersey Department of Environmental Protection Baseline Studies Final Report*. <http://www.nj.gov/dep/dsr/ocean-wind/report.htm>.
- Northeast Fisheries Science Center. 2011. *Preliminary summer 2010 regional abundance estimate of loggerhead turtles (Caretta caretta) in northwestern Atlantic Ocean continental shelf waters*. US Department of Commerce, Northeast Fisheries Science Center, Reference Document 11-03. MA: Woods Hole. <http://nefsc.noaa.gov/publications/crd/crd1103/>.
- Northeast Fisheries Science Center (NEFSC) and Southeast Fisheries Science Center (SEFSC). 2010. *Annual Report to the Inter-Agency Agreement M10PG00075/0001: A Comprehensive Assessment of Marine Mammal, Marine Turtle, and Seabird Abundance and Spatial Distribution in in US Waters of the western North Atlantic Ocean*. [http://www.nefsc.noaa.gov/read/protsp/mainpage/AMAPPS/docs/Final\\_2010AnnualReportAMAPPS\\_19Apr2011.pdf](http://www.nefsc.noaa.gov/read/protsp/mainpage/AMAPPS/docs/Final_2010AnnualReportAMAPPS_19Apr2011.pdf).
- Paton P., K.J. Winiarski, C.T. Trocki, and S.R. McWilliams. 2010. *Spatial distribution, abundance, and flight ecology of birds in nearshore and offshore waters of Rhode Island*. Rhode Island Ocean Special Area Management Plan Interim Report.
- Silverman E.D., J.B. Leirness, D. Saalfeld, and K.D. Richkus. 2012. *Draft Atlantic Coast Wintering Sea Duck Survey, 2008-2011: Summary Report*. Population and Habitat Assessment Branch, Division of Migratory Bird Management, U.S. Fish & Wildlife Service.
- Veit R.R., T.P. White, M. Martin, and M.J. Steinkamp. 2010. *At-Sea Distributions of Pelagic Seabirds off the East Coast of the United States, 2010: A Preliminary Report to BOEMRE*.
- Veit R.R., T.P. White, and S.A. Perkins. 2012. *Aerial Survey of Pelagic Birds South of Nantucket, Massachusetts: A Report to The Massachusetts Clean Energy Center*.
- Winiarski K.J., P. Paton, C.L. Trocki, and S.R. McWilliams. 2011. *Spatial distribution, abundance, and flight ecology of birds in nearshore and offshore waters of Rhode Island: January 2009 to August 2010*. Rhode Island Ocean Special Area Management Plan Interim Report.

## Survey Methodology

- Barrett R.T., G. Chapdelaine, T. Anker-Nilssen, A. Mosbech, W.A. Montevecchi, J.B. Reid, and R.R. Veit. 2006. "Seabird numbers and prey consumption in the North Atlantic." *ICES Journal of Marine Science* 63: 145-1158.
- Buckland S.T., D.R. Anderson, K.P. Burnham, J.L. Laake, D.L. Borchers, and L. Thomas. 2001. *Introduction to Distance Sampling: Estimating abundance of biological populations*. Oxford: Oxford University Press.
- Buckland S.T., D.R. Anderson, K.P. Burnham, J.L. Laake, D.L. Borchers, and L. Thomas. 2004. *Advanced Distance Sampling: Estimating Abundance of Biological Populations*. New York: Oxford University Press.
- Buckland S.T., M.L. Burt, E.A. Rexstad, M. Mellor, A.E. Williams, and R. Woodward. 2012. "Aerial surveys of seabirds: The advent of digital methods." *Journal of Applied Ecology* 49: 960-967.
- Camphuysen C.J., A.D. Fox, M. F. Leopold, and I.K. Petersen. 2004. *Towards standardised seabirds at sea census techniques in connection with environmental impact assessments for offshore wind farms in the U.K.: A comparison of ship and aerial sampling methods for marine birds, and their applicability to offshore wind farm assessments*. Royal Netherlands Institute for Sea Research (NIOZ), UK COWRIE 1 Report, BAM – 02-2002.
- Camphuysen C.J., and S. Garthe. 2004. "Recording foraging seabirds at sea: standardised recording and coding of foraging behavior and multi-species foraging associations." *Atlantic Seabirds* 6: 1-32.
- Farnsworth A., and R.W. Russell. 2005. "Evaluation of a method for monitoring audible fall bird migration traffic over platforms." In *Interactions Between Migrating Birds and Offshore Oil and Gas Platforms in the Northern Gulf of Mexico*, edited by R.W. Russell, 247 – 256. Minerals Management Service Publication 2005-009. <http://www.oldbird.org>.
- Fuller M.R., W.S. Seegar, and L.S. Schueck. 2009. "Routes and travel rates of migrating Peregrine Falcons *Falco peregrinus* and Swainson's Hawks (*Buteo swainsoni*) in the Western Hemisphere." *Journal of Avian Biology* 29: 433-440.
- Gardner B., P.J. Sullivan, S. Epperly, and S.J. Morreale. 2008. "Hierarchical modeling of bycatch rates of sea turtles in the western North Atlantic." *Endangered Species Research* 5: 279-289.
- Garner, G.W., S. C. Amstrup, J. L. Laake, B. F. J. Manly, L. L. McDonald, and D. G. Robertson. 1999. *Marine Mammal Survey and Assessment Methods*. A. A. Balkema, Rotterdam, Netherlands: A.A. Balkema.

- Hiby A.R. 1999. "The objective identification of duplicate sightings in aerial survey for porpoise." In *Marine mammal survey and assessment methods*, edited by G.W. Garner, S.C. Amstrup, J.L. Laake, B.F.J. Manly, L.L. McDonald, and D.G. Robertson, 179 – 189. Rotterdam (Netherlands): A.A. Balkema.
- Hiby A.R. and P. Lovell. 1998. "Using aircraft in tandem formation to estimate abundance of harbor porpoise." *Biometrics* 54: 1280-1289.
- Jackson, D. and Whitfield, P. 2011. *Guidance on survey and monitoring in relation to marine renewables deployments in Scotland. Volume 4. Birds*. Unpublished draft report to Scottish Natural Heritage and Marine Scotland.
- Kenney, R.D., 2011. *The North Atlantic Right Whale Consortium Database: A Guide for Users and Distributors*. North Atlantic Right Whale Consortium Reference Document 2011-01. Graduate School of Oceanography, University of Rhode Island. [http://gsosun1.gso.uri.edu/~rkenney/DATABASE/Users%20Guide%20\(revised\).pdf](http://gsosun1.gso.uri.edu/~rkenney/DATABASE/Users%20Guide%20(revised).pdf).
- Korschgen, C.E., K.P. Kenow, A. Genron-Fitzpatrick, W.L. Green, and F.J. Dein. 1996. "Implanting intra-abdominal radio transmitters with external whip antenna in ducks." *Journal of Wildlife Management* 60: 132-137.
- Laake J.L., and D.L. Borchers. 2004. "Methods for incomplete detection at distance zero." In *Advanced Distance Sampling*, edited by S.T. Buckland, D.R. Anderson, K.P. Burnham, J.L. Laake, and L. Thomas, L. New York: Oxford University Press.
- Long D. 2011. *Capture technique for loons at wintering, maturation, and migratory staging locations*. Unpublished report, Biodiversity Research Institute. Gorham, ME.
- Macleod K., Lacey, C., Quick, N., Hastie, G. and Wilson J. 2011. *Guidance on survey and monitoring in relation to marine renewables deployments in Scotland. Volume 2. Cetaceans and Basking Sharks*. Unpublished draft report to Scottish Natural Heritage and Marine Scotland.
- Mordecai R.S., B.J. Mattsson, C.J. Tzilowski, and R.J. Cooper. 2011. "Addressing challenges when studying mobile or episodic species: hierarchical Bayes estimation of occupancy and use." *Journal of Applied Ecology* 48 (1): 56-66.
- Northeast Fisheries Science Center. 2011. *Preliminary summer 2010 regional abundance estimate of loggerhead turtles (Caretta caretta) in northwestern Atlantic Ocean continental shelf waters*. US Department of Commerce, Northeast Fisheries Science Center, Reference Document 11-03. MA: Woods Hole. <http://nefsc.noaa.gov/publications/crd/crd1103/>.

- O'Connell, A. F., B. Gardner, A. T. Gilbert, and K. Laurent. 2009. *Compendium of Avian Occurrence Information for the Continental Shelf Waters along the Atlantic Coast of the United States, Final Report (Database Section - Seabirds)*. Prepared by the USGS Patuxent Wildlife Research Center, Beltsville, MD. U.S. Department of the Interior, Geological Survey, and Bureau of Ocean Energy Management Headquarters, OCS Study BOEM 2012-076.
- Palka, D. 1995. "Abundance estimate of the Gulf of Maine harbor porpoise." In *Biology of Phocoenids (Reports of the International Whaling Commission (Special Issue 16): 27 – 50*.
- Palka, D. 1995. "Influences on spatial patterns of Gulf of Maine harbor porpoises." In *Whales, Seals, Fish and Man*, ed. A.S. Blix, L. Walløe and Ø. Ulltang, 69 – 75. The Netherlands: Elsevier Science B.V.
- Palka, D. 1996. "Effects of Beaufort sea state on the sightability of harbor porpoises in the Gulf of Maine." *Report of the International Whaling Commission* 46: 575-582.
- Palka, D. 2000. *Abundance of the Gulf of Maine/Bay of Fundy harbor porpoise stock based on shipboard and aerial surveys in 1999*. NMFS Northeast Fisheries Science Center Reference Document 00-07. MA: Woods Hole. <http://nefsc.noaa.gov/publications/crd/crd0007>.
- Palka, D. 2011. *AMAPPS: Atlantic Marine Assessment Program for Protected Species – NE 2011: Information for NE shipboard observers*. Unpublished, US Department of Commerce, NMFS Northeast Fisheries Science Center. MA: Woods Hole.
- Palka, D. 2012. *Northeast aerial AMAPPS survey data collection procedures*. Unpublished, US Department of Commerce, NMFS Northeast Fisheries Science Center. MA: Woods Hole.
- Perry, M. C. 1981. "Abnormal behavior of canvasbacks equipped with radiotransmitters." *Journal of Wildlife Management* 45: 786-789.
- Ronconi, R.A., Z.T. Swaim, H.A. Lane, R.W. Hunnewell, A.J. Westgate, and H.N. Koopman. 2010. "Modified hoop-net techniques for capturing birds at sea and comparison with other capture methods." *Marine Ornithology* 38: 23-29.
- Sauer J.R., W.A. Link, and J.A. Royle. 2005. *Hierarchical models and Bayesian analysis of bird survey information*. USDA Forest Service General Technical Report PSW-GTR-191. [http://www.fs.fed.us/psw/publications/documents/psw\\_gtr191/Asilomar/pdfs/762-770.pdf](http://www.fs.fed.us/psw/publications/documents/psw_gtr191/Asilomar/pdfs/762-770.pdf).

- Scheidat M., A. Gilles, K.H. Kock, and U. Seibert. 2008. "Harbour porpoise *Phocoena phocoena* abundance in the southwestern Baltic Sea." *Endangered Species Research* 5: 215-223.
- Schmutz, J. A., K. A. Trust, and A. C. Matz. 2009. "Red-throated loons (*Gavia stellata*) breeding in Alaska, USA, are exposed to PCBs while on Asian wintering grounds." *Environmental Pollution* 157: 2386-2393.
- Sea Duck Joint Venture (SDJV). 2011. "Atlantic and Great Lakes Sea Duck Migration Study." Factsheet. Accessed August 31. [http://seaduckjv.org/atlantic\\_migration\\_study/atlantic\\_sea\\_duck\\_general\\_outreach\\_feb2011.pdf](http://seaduckjv.org/atlantic_migration_study/atlantic_sea_duck_general_outreach_feb2011.pdf).
- Tasker, M.L., P.H. Jones, T. Dixon, and B.F. Blake. 1984. "Counting seabirds at sea from ships: a review of methods employed and a suggestion for a standardized approach." *The Auk* 101: 567-577.
- Thaxter C.B. and N.H.K. Burton. 2009. *High Definition Imagery for Surveying Seabirds and Marine Mammals: A Review of Recent Trials and Development of Protocols*. British Trust for Ornithology Report Commissioned by Cowrie Ltd. <http://www.coastalkent.net/data/news/downloads/COWRIE%20High%20Definition%20Imagery%20Final%20Report%2020091130.pdf>.
- Thomas L., J.L. Laake, E. Rexstad, S. Strindberg, F.F.C. Marques, S.T. Buckland, D.L. Borchers et al. 2009. *Distance 6.0. (Release 2)*. Research Unit for Wildlife Population Assessment, University of St Andrews, U.K. <http://www.ruwpa.st-and.ac.uk/distance/>.
- Veit, R.R., J.A. McGowan, D.G. Ainley, T.R. Wahl, and P. Pyle. 1997. "Apex marine predator declines 90% in association with changing oceanic climate." *Global Change Biology* 3: 23-28.
- Veit, R.R., P. Pyle, and J.A. McGowan. 1996. "Ocean warming and long-term change in pelagic bird abundance within the California Current System." *Marine Ecology Progress Series* 139: 11-18.
- Veit, R.R., E.D. Silverman, and I. Everson. 1993. "Aggregation patterns of pelagic predators and their principal prey, Antarctic krill, near South Georgia." *Journal of Animal Ecology* 62: 551-564.
- Winiarski K.J., P. Paton, C.L. Trocki, and S.R. McWilliams. 2011. *Spatial distribution, abundance, and flight ecology of birds in nearshore and offshore waters of Rhode Island: January 2009 to August 2010*. Rhode Island Ocean Special Area Management Plan Interim Report.

Zipkin, E.F., B. Gardner, A.T. Gilbert, A.F. O'Connell, J.A. Royle, and E.D. Silverman. 2010. "Distribution patterns of wintering sea ducks in relation to the North Atlantic Oscillation and local environmental characteristics." *Oecologia* 163: 893-902.

### **Modeling in Mid-Atlantic**

Best B.D., P.N. Halpin, A.J. Read, E. Fujioka, C.P. Good, E.A. LaBrecque, R.S. Schick, et al. 2012. "Online Cetacean Habitat Modeling System for the U.S. East Coast and Gulf of Mexico." *Endangered Species Research* 18 (1): 1-15.

Hamazaki, T. 2002. "Spatiotemporal prediction models of cetacean habitats in the mid-western North Atlantic Ocean (from Cape Hatteras, North Carolina to Nova Scotia)." *Marine Mammal Science* 18 (4): 920-951.

Kinlan, B.P., C. Menza, and F. Huettmann. 2012. "Predictive Modeling of Seabird Distribution Patterns in the New York Bight." In *A Biogeographic Assessment of Seabirds, Deep Seal Corals and Ocean Habitats of the New York Bight: Science to Support Offshore Spatial Planning*, edited by C. Menza, B.P. Kinlan, D.S. Dorfman, M. Poti and C. Caldow, 87-224. National Oceanic and Atmospheric Administration Technical Memorandum NOS NCCOS 141.

[http://ccma.nos.noaa.gov/ecosystems/coastalocean/ny\\_spatialplanning.aspx#products](http://ccma.nos.noaa.gov/ecosystems/coastalocean/ny_spatialplanning.aspx#products).

O'Connell, A. F., B. Gardner, A. T. Gilbert, and K. Laurent. 2009. *Compendium of Avian Occurrence Information for the Continental Shelf Waters along the Atlantic Coast of the United States, Final Report (Database Section - Seabirds)*. Prepared by the USGS Patuxent Wildlife Research Center, Beltsville, MD. U.S. Department of the Interior, Geological Survey, and Bureau of Ocean Energy Management Headquarters, OCS Study BOEM 2012-076.

O'Connell, Jr., A. F., B. Gardner, A. T. Gilbert, and J. Ellis. 2012, in review. *Compendium of Avian Occurrence Information for the Continental Shelf Waters along the Atlantic Coast of the United States: Final Report (Modeling Section - Seabirds)*. Prepared by US Fish and Wildlife Service, Hadley, MD for the USGS Patuxent Wildlife Research Center, Beltsville, MD. US Department of the Interior, Geological Survey, and Bureau of Ocean Energy Management Headquarters, OCS Study BOEM 2012-076.

O'Connell, A., C. S. Spiegel, and S. Johnson. 2011. *Compendium of Avian Occurrence Information for the Continental Shelf Waters along the Atlantic Coast of the United States, Final Report (Database Section - Shorebirds)*. Prepared by US Fish and Wildlife Service, Hadley, MD for the USGS Patuxent Wildlife Research Center, Beltsville, MD. US Department of the Interior, Geological Survey, and Bureau of Ocean Energy Management Headquarters, OCS Study BOEM 2012-076.

- Oppel, S., A. Meirinho, I. Ramírez, B. Gardner, A.F. O'Connell, and M. Louzao. 2012. "Comparison of five modelling techniques to predict the spatial distribution and abundance of seabirds." *Biological Conservation*, 156: 94-104. <http://dx.doi.org/10.1016/j.biocon.2011.11.013>
- Zipkin, E.F., B. Gardner, A.T. Gilbert, A.F. O'Connell, J.A. Royle, and E.D. Silverman. 2010. "Distribution patterns of wintering sea ducks in relation to the North Atlantic Oscillation and local environmental characteristics." *Oecologia* 163 (4): 893-902.

## Modeling Methods

- Amante, C. and B.W. Eakins. 2009. *ETOPO1 1 Arc-Minute Global Relief Model: Procedures, Data Sources and Analysis*. National Oceanic and Atmospheric Administration Technical Memorandum NESDIS NGDC-24: <http://www.ngdc.noaa.gov/mgg/global/global.html>.
- Besag, J., J. York, and A. Mollie. 1991. "Bayesian image restoration, with two applications in spatial statistics." *Annals of the Institute of Statistical Mathematics* 43: 1-49.
- Best B.D., P.N. Halpin, E. Fujioka, A.J. Read, S.S. Qian, L.J. Hazen, and R.S. Schick. 2007. "Geospatial web services within a scientific workflow: Predicting marine mammal habitats in a dynamic environment." *Ecological Informatics* 2: 210-223.
- Borchers, D.L. and M.G. Efford. 2008. "Spatially explicit maximum likelihood methods for capture–recapture studies." *Biometrics* 64: 377–385.
- Buckland, S.T., D.R. Anderson, K.P. Burnham, J.L. Laake, D.L. Borchers, and L. Thomas. 2001. *Introduction to distance sampling: estimating abundance of biological populations*. London: Oxford University Press.
- Burnham, K.P., S.T. Buckland, J.L. Laake, D.L. Borchers, T.A. Marques, J.R.B. Bishop, and L. Thomas. 2004. "Further topics in distance sampling." In *Advanced Distance Sampling: Estimating Abundance of Biological Populations*, edited by S.T. Buckland, D.R. Anderson, K.P. Burnham, J.L. Laake, D.L. Borchers, and L. Thomas, 307-392. New York: Oxford University Press.
- Byrd, G. V., J. H. Reynolds, and P. L. Flint. 2009. "Persistence rates and detection probabilities of bird carcasses on beaches of Unalaska Island, Alaska following the wreck of the M/V Selendang Ayu." *Marine Ornithology* 37: 197-204.
- Carlin, B. P. and T. A. Louis. 2000. *Bayes and empirical bayes methods for data analysis*. New York: Chapman and Hall.



- Chilès, J.P. and P. Delfiner. 1999. *Geostatistics, Modeling Spatial Uncertainty*. New York: John Wiley & Sons.
- Clarke, E.D., L.B. Spear, M.L. McCracken, F.F.C. Marques, D.L. Borchers, S.T. Buckland, and D.G. Ainley. 2003. "Validating the use of generalized additive models and at-sea surveys to estimate size and temporal trends of seabird populations." *Journal of Applied Ecology* 40: 278-292.
- Cressie, N.A.C. 1991. *Statistics for Spatial Data*. New York: John Wiley & Sons.
- Dorazio, R.M., J.A. Royle, B. Söderström, and A. Glimskär. 2006. "Estimating species richness and accumulation by modeling species occurrence and detectability." *Ecology* 87: 842-854.
- Efron, B. and R.J. Tibshirani. 1993. *An Introduction to the Bootstrap*. New York: Chapman and Hall.
- Greene, J.K., M.G. Anderson, J. Odell, and N. Steinberg, ed. 2010. *The Northwest Atlantic Marine Ecoregional Assessment: Species, Habitats and Ecosystems (Phase One)*. The Nature Conservancy, Eastern U.S. Division, Boston, MA. <http://www.nature.org/ourinitiatives/regions/northamerica/areas/easternusmarine/explore/index.htm>.
- Fiske, I. and R. Chandler. 2011. "Unmarked: An R package for fitting hierarchical models of wildlife occurrence and abundance." *Journal of Statistical Software* 43 (10): 1 - 23.
- Forney, K.A., K.A. Forney, M.C. Ferguson, E.A. Becker, P.C. Fiedler, J.V. Redfern, J. Barlow, et al. 2012. "Habitat-based spatial models of cetacean density in the eastern Pacific Ocean." *Endangered Species Research* 16: 113-133.
- Fox, J. 2008. *Applied Regression Analysis, Linear Models, and Related Methods*. Thousand Oaks, Calif.: Sage Publication.
- Goatz, K.T., R.A. Montgomery, J.M. Ver Hoef, R.C. Hobbs, and D.S. Johnson. 2012. "Identifying essential summer habitat of the endangered beluga whale *Delphinapterus leucas* in Cook Inlet, Alaska." *Endangered Species Research* 16: 135-147.
- Hall, D. 2000. "Zero-Inflated Poisson and Binomial Regression with Random Effects: A Case Study." *Biometrics* 56 (4): 1030-1039.
- Hedley, S.L. and S.T. Buckland. 2004. "Spatial models for line transect sampling." *Journal of Agricultural, Biological, and Environmental Statistics* 9: 181-199.

- Hengl, T., G.M.B. Heuvelink, and D.G. Rossiter. 2007. "About regression-kriging: from equations to case studies." *Computers and Geosciences* 33 (10): 1301-1315.
- Kenney, R.D. 2011. *The North Atlantic Right Whale Consortium Database: A Guide for Users and Distributors*. North Atlantic Right Whale Consortium Reference Document 2011-01. Graduate School of Oceanography, University of Rhode Island. [http://gsosun1.gso.uri.edu/~rkenney/DATABASE/Users%20Guide%20\(revised\).pdf](http://gsosun1.gso.uri.edu/~rkenney/DATABASE/Users%20Guide%20(revised).pdf).
- Law, G. 2011. Pers. comm., emails with B. Kinlan, C. Menza, and M. Poti, March – August. Center for Coastal Margin Observation and Prediction, Oregon Health and Science University.
- Link, W.A. and J.R. Sauer. 2007. "A hierarchical analysis of population change with application to cerulean warblers." *Ecology* 83: 2832-2840.
- Lunn, D.J., A. Thomas, N. Best, and D. Spiegelhalter. 2000. "WinBUGS - a Bayesian modelling framework: concepts, structure, and extensibility." *Statistics and Computing* 10: 325--337.
- MacKenzie, D.I., J.D. Nichols, J.A. Royle, K.H. Pollock, J.E. Hines and L.L. Bailey. 2006. *Occupancy Estimation and Modeling: inferring patterns and dynamics of species occurrence*. San Diego: Elsevier.
- Martin, T. G., B.A Wintle, J.R. Rhodes, P.M. Kuhnert, S.A. Field, S.J. Low-Choy, A.J. Tyre, and H.P. Possingham. 2005. "Zero tolerance ecology: improving ecological inference by modelling the source of zero observations." *Ecology Letters* 8: 1235-1246.
- Moore, J. E. and J. Barlow. 2011. "Bayesian state-space models of fin whale abundance trends from a 1991-2008 time series of line-transect surveys in the California Current." *Journal of Applied Ecology* 48: 1195-1205.
- NOAA National Geophysical Data Center (NGDC). 2010. *U.S. Coastal Relief Model*. <http://www.ngdc.noaa.gov/mgg/coastal/crm.html>.
- O'Connell, A. F., B. Gardner, A. T. Gilbert, and K. Laurent. 2009. *Compendium of Avian Occurrence Information for the Continental Shelf Waters along the Atlantic Coast of the United States, Final Report (Database Section - Seabirds)*. Prepared by the USGS Patuxent Wildlife Research Center, Beltsville, MD. U.S. Department of the Interior, Geological Survey, and Bureau of Ocean Energy Management Headquarters, OCS Study BOEM 2012-076.
- Pebesma, E.J. and C.G. Wesseling. 1998. "Gstat, a program for geostatistical modelling, prediction and simulation." *Computers and Geosciences* 24 (1): 17-31.

- Pittman S.J. and B. Costa. 2010. "Linking Cetaceans to Their Environment: Spatial Data Acquisition, Digital Processing and Predictive Modeling for Marine Spatial Planning in the Northwest Atlantic." In *Spatial Complexity, Informatics, and Wildlife Conservation*, edited by S. A. Cushman and F. Huettmann, 387–408. New York: Springer Press.
- Redfern J.V, M.C. Ferguson, E.A. Becker, K.D. Hyrenbach, C. Good, J. Barlow, K. Kaschner, et al. 2006. "Techniques for cetacean-habitat modeling." *Marine Ecology Progress Series* 310: 271–295.
- Reid, J.M., J.A. Reid, C.J. Jenkins, M.E. Hastings, S.J. Williams and L.J. Poppe. 2005. *usSEABED: Atlantic Coast Offshore Surficial Sediment Data Release (Version 1.0)*. US Geological Survey Data Series 118. <http://pubs.usgs.gov/ds/2005/118/>.
- Roberts J.J., B.D. Best, D.C. Dunn, E.A. Treml, and P.N. Halpin. 2010. *Marine Geospatial Ecology Tools: An integrated framework for ecological geoprocessing with ArcGIS, Python, R, MATLAB, and C++*. Environmental Modeling & Software, Nicholas School of the Environment, Duke University. <http://mgel.env.duke.edu/mget>.
- Royle, J. A., R. M., Dorazio, and W. A. Link. 2007. "Analysis of multinomial models with unknown index using data augmentation." *Journal of Computational and Graphical Statistics* 16: 67–85.
- Santora, J.A. and C.S. Reiss. 2011. "Geospatial variability of krill and top predators within an Antarctic submarine canyon system." *Marine Biology* 158: 2527–2540.
- Schick R.S., P.N. Halpin, A.J. Read, D.L. Urban, B.D. Best, C.P. Good, J.J. Roberts, et al. 2011. "Community structure in pelagic marine mammals at large spatial scales." *Marine Ecology Progress Series* 434: 165–181. [http://www.int-res.com/articles/meps\\_oa/m434p165.pdf](http://www.int-res.com/articles/meps_oa/m434p165.pdf).
- Seber, G.A.F. 1982. *The estimation of animal abundance and related parameters*. London: Griffin.
- Shumway, C., K. Ruddock and M. Clark. 2010. "Physical Oceanography." In *The Northwest Atlantic Marine Ecoregional Assessment: Species, Habitats and Ecosystems (Phase One)*, edited by Greene, J.K., M.G. Anderson, J. Odell, and N. Steinberg, 145 – 168. Boston, MA: The Nature Conservancy, Eastern U.S. Division. <http://www.nature.org/ourinitiatives/regions/northamerica/areas/easternusmarine/explore/index.htm>.
- Soluri, E.A. and V.A. Woodson. 1990. "World Vector Shoreline." *International Hydrographic Review* LXVII (1).

- Spiegel, C. and S. Johnston. 2011. *Compendium of Avian Occurrence Information for the Continental Shelf Waters along the Atlantic Coast of the United States (Database Section – Shorebirds)*. A final report for the U.S. Department of the Interior, Bureau of Energy Management, Regulation, and Enforcement, Atlantic OCS Region, Herndon, VA. Contract No. M08PG20033/Interagency Agreement between USGS and USFWS, Region 5, Division of Migratory Birds, Hadley, MA.
- Spiegelhalter, D.J., A. Thomas, N. Best, and D. Lunn. 2007 *WinBUGS User Manual, Version 1.4.3*. Accessed August 6. <http://www.mrc-bsu.cam.ac.uk/bugs>.
- Stefánsson, G. 1996. "Analysis of groundfish survey abundance data: combining the GLM and delta approaches." *ICES Journal of Marine Science* 53: 577–588.
- Thogmartin, W.E., J. R. Sauer, and M. G. Knutson. 2004. "A hierarchical spatial model of avian abundance with application to Cerulean Warblers." *Ecological Applications* 14: 1766–1779.
- Thomas, L., S.T. Buckland, E.R. Rexstad, J.L. Laake, S. Strindberg, S.L. Hedley, J.R.B. Bishop, T.A. Marques and K.P. Burnham. 2010. "Distance software: design and analysis of distance sampling surveys for estimating population size." *Journal of Applied Ecology* 47: 5-14.
- Thomas L., J.L. Laake, E. Rexstad, S. Strindberg, F.F.C. Marques, S.T. Buckland, D.L. Borchers et al. 2009. *Distance 6.0 (Release 2)*. University of St Andrews, UK: Research Unit for Wildlife Population Assessment. <http://www.ruwpa.st-and.ac.uk/distance/>.
- Ver Hoef, J.M. and J.K. Jansen. 2007. "Space-time zero-inflated count models of Harbor seals." *Environmetrics* 18: 697–712.
- Winter, A., Y. Jiao and J.A. Browder. 2011. "Modeling Low Rates of Seabird Bycatch in the U.S. Atlantic Longline Fishery." *Waterbirds* 34 (3): 289-303. doi: 10.1675/063.034.0304.
- Wolfteich, C. 2011. *URI/NASA AVHRR Pathfinder 1km SST Archive*. Graduate School of Oceanography, University of Rhode Island, Accessed April. [http://satdat1.gso.uri.edu/opensap/Pathfinder/Pathfinder1km/pathfinder\\_1km.html](http://satdat1.gso.uri.edu/opensap/Pathfinder/Pathfinder1km/pathfinder_1km.html).
- Wood, S.N. 2006. *Generalized additive models: An introduction with R*. Boca Raton, Fla.: Chapman and Hall/CRC.



Wind and Water Power Technologies Office  
Wind Program  
[wind.energy.gov](http://wind.energy.gov)

DOE/EE-0925 • July 2013

Printed with a renewable-source ink on paper containing at least 50%  
wastepaper, including 10% post-consumer waste.