

E.ON Climate & Renewables

Analysis of Marine Ecology Monitoring Plan Data from the Robin Rigg Offshore Wind Farm, Scotland (Operational Year 3)

Technical Report

Chapter 1: Introduction and Executive Summary



Report: 1029455

Author: Richard Walls, Dr. Chris Pendlebury, Dr. Jane Lancaster, Dr Sarah Canning, Dr Gillian Lye, Fraser Malcolm, Deborah Kerr, Laura Givens and Victoria Rutherford

Issued: 18/09/2013

Natural Power Consultants
The Greenhouse
Forrest Estate
Dalry, Dumfries and Galloway
DG15 7XS
Tel: +44 (0) 1644 430 008

Client: **E.ON Climate & Renewables**

Report: 1029455

Analysis of Marine Ecology Monitoring Plan Data from the Robin Rigg Offshore Wind Farm, Scotland (Operational Year3)

Technical report

Chapter 1: Introduction and Executive Summary

Authors	Richard Walls, Dr. Chris Pendlebury, Dr. Jane Lancaster, Dr Sarah Canning, Dr Gillian Lye, Fraser Malcolm, Deborah Kerr, Laura Givens and Victoria Rutherford
Checked	Dr Chris Pendlebury, Jane Lancaster, Dr. Sarah Canning
Approved	Dr Jane Lancaster

Classification **COMMERCIAL IN CONFIDENCE**

Distribution **E.ON Climate & Renewables**

DISCLAIMER OF LIABILITY

This report is prepared by us, THE NATURAL POWER CONSULTANTS LIMITED, ("NATURAL POWER") for E.ON Climate & Renewables (the "Client") to assist the Client in analysing ecological data in connection with the Robin Rigg Offshore Wind Farm. It has been prepared to provide general information to assist the Client in its decision, and to outline some of the issues, which should be considered by the Client. It is not a substitute for the Client's own investigation and analysis. No final decision should be taken based on the content of this report alone.

This report should not be copied, shown to or relied upon by any third parties without our express prior written consent. Nothing in this report is intended to or shall be deemed to create any right or benefit in favour of a third party. In compiling this report, we have relied on information supplied to us by the Client and by third parties. We accept no Liability for the completeness and/or veracity of the information supplied to us, nor for our conclusions or recommendations based on such information should it prove not to be complete or true.

We have been asked to comment on analysis of ecological data collected as part of the MEMP, in accordance with the Client's instructions as to the scope of this report. We have not commented on any other matter and exclude all Liability for any matters out with the said scope of this report. If you feel there are any matters on which you require additional or more detailed advice, we shall be glad to assist.

We hereby disclaim any and all liability for any loss (including without limitation consequential or economic loss), injury, damage, costs and expenses whatsoever ("Liability") incurred directly or indirectly by any person as a result of any person relying on this report except as expressly provided for above. In any case, our total aggregate Liability in connection with the provision of this report (whether by contract, under delict or tort, by statute or otherwise) shall be limited to the aggregate of fees (excluding any VAT) actually paid by the Client to us for provision of this report.

Revision History

Issue	Date	Changes
A	28/08/2013	First Issue to E.ON
B	18/09/2013	Draft 1 released to RRMG for comments

EXECUTIVE SUMMARY

Robin Rigg Offshore Wind Farm in the Solway Firth is operated by E.ON Climate & Renewables (E.ON) and was the first commercial offshore wind farm in Scottish waters. The site is comprised of 60 three megawatt Vestas turbines and an offshore sub-station. Construction of the offshore wind farm and its associated cabling began in December 2007 and the site became full commercial operation in April 2010.

In accordance with the consent from Scottish Ministers under Section 36 of the Electricity Act 1989, a Marine Environment Monitoring Programme (MEMP) was developed to record any changes to the local physical and ecological environment as a result of the construction of the wind farm. This included monitoring requirements for a number of ecological parameters, such as benthos, non-migratory and electro-sensitive fish, birds and marine mammals.

This report represents analysis performed on ecological data collected before construction (during the baseline and pre-construction year), during construction and during the first three years of operation. The data for non-migratory fish and birds has been examined in order to assess the impact of the offshore wind farm on the Solway ecosystem and validate the prediction made in the Environmental Statement. In accordance with the MEMP no benthic, electro-sensitive fish or marine mammal surveys were undertaken in Operational Year 3. Data on these surveys was fully analysed and reported on in the Operational Year 2 report. It should be noted, however, that any marine mammals or electro-sensitive fish observed during the bird and non migratory fish surveys respectively were recorded.

This report has been structured by topic, whereby each chapter is set out as a self contained paper with introduction, methodology (for both survey and analysis), results, discussion and references for each surveys undertaken (i.e. non-migratory fish and bird surveys).

Non-Migratory Fish

The survey methodology for all non-migratory fish surveys was carried out in accordance with the MEMP requirements to follow the baseline methodology, whereby a 2 m beam trawl was towed for 15 minutes at 31 sampling stations in and around the wind farm site. These surveys were carried out during the baseline, and during construction and post construction periods.

The species captured in the non migratory fish surveys are typical of Irish Sea estuarine environments and since thus far 39 species of fish and 64 species of invertebrates have been captured. The most commonly caught fish were juvenile plaice (*Pleuronectes platessa*), dab (*Limanda Limanda*) and whiting (*Merlangius merlangus*). brown shrimp (*Crangon Crangon*), brittle stars (*Ophiura ophiura*) and hermit crabs (*Pagurus bernhardus*) were the most common invertebrates captured.

The analysis considered broad-scale changes in fish and epibenthic invertebrate assemblages between construction periods and season in the inner Solway Firth area. The response of univariate and multivariate metrics indicated that significant change has occurred between survey periods and season. Catch abundance of fish, invertebrates, brown shrimp and whiting reduced following the commencement of construction, particularly in construction year one (February 2008 to February 2009). However, very little construction activity took place during this period; therefore it is difficult to attribute this change to construction activity. This is further supported by the results of the BEST analysis which attempted to correlate varying species assemblages with distance from the wind farm. The aim of this analysis was to determine any effects that may be attributable to construction activity/turbine presence. The low level of correlation between species assemblages and distance from site for both fish and epibenthic assemblages suggests wind farm presence is not driving change within the Solway Firth. Building on the 2012 analysis an assessment of effects within and beyond one tidal excursion of the site was also investigated no effects were detected that could be attributed to the wind farm. Changes in fish and benthic assemblages were also investigated between each operational year. It was assumed that if an impact had occurred following construction then fish and invertebrate assemblages would be undergoing a period of recovery. The data did not support this hypothesis.

Fluctuations in fish and epibenthic populations and species assemblages are a natural feature of marine ecosystems. Mobile estuarine sand bank systems such as those present in the Solway Firth represents a highly dynamic and variable environment; continually changing environmental conditions are likely to drive natural variability in community composition at a broad scale. As a result of this it is not possible to disentangle natural drivers from anthropogenic drivers such as the construction and operation of an offshore wind farm, however no evidence has been found to suggest that changes had occurred as a result of the wind farm.

Birds

All surveys consisted of boat-based visual surveys comprising of ten transects conducted monthly or bimonthly, depending on phase. All data were collated and verified by NPC Ecology. The analytical methodology has been determined by the data available to Natural Power Consultants, collected as part of the MEMP before, during and after construction.

This section of the report summarises the results of the ornithological surveys carried out as part of the Marine Environment Management Plan (MEMP) at the Robin Rigg wind farm in the Solway Firth from the pre-construction phase to the third year of operation. Little evidence has been found for changes in abundance, distribution or flight height of key seabird species attributable to the wind farm. Guillemot and red-throated diver demonstrated some avoidance of the wind farm area during the construction phase but their distributions are returning to pre-construction levels during operation. Cormorant, herring gull and kittiwake appear to have increased their abundance in the wind farm site since construction of the wind farm itself, possibly due to the presence of turbine structures which facilitate feeding in the area. Few birds fly at rotor height within the study area, and whilst there is some evidence that gannet, kittiwake, herring gull and great black-backed gull are now flying higher than they were pre-construction, this is considered to be most likely the result of increased recording accuracy due to the presence of the turbines as a landmark rather than a genuine change in behaviour. Finally, a comparison of methods of recording flying birds demonstrates that continuous recording of birds in flight produces higher density estimates than the current best-practise methodology so it is advised that density estimates provided in this study should not be directly compared with those calculated in other studies using best practise surveying methodology.

Table of Contents

1. INTRODUCTION	1
1.1 Site Description	1
1.2 Ecological Monitoring at Robin Rigg	6
2. NON-MIGRATORY FISH	9
2.1 INTRODUCTION	9
2.2 SURVEY METHODS	12
2.3 ANALYTICAL METHODS	15
2.4 NON-MIGRATORY FISH RESULTS	18
2.5 DISCUSSION	49
2.6 CONCLUSIONS	54
2.7 REFERENCES	56
3. ORNITHOLOGICAL MONITORING	59
3.1 INTRODUCTION	59
3.2 SURVEY METHODS	75
3.3 ANALYTICAL METHODS	76
3.4 RESULTS:SCAUP	86
3.5 RESULTS: COMMON SCOTER	89
3.6 RESULTS: RED-THROATED DIVER	95
3.7 RESULTS: MANX SHEARWATER	112
3.8 RESULTS: GANNET	119
3.9 RESULTS: CORMORANT	129
3.10 RESULTS: KITTIWAKE	146
3.11 RESULTS: HERRING GULL	163
3.12 RESULTS:GREAT BLACK-BACKED GULL	173
3.13 RESULTS: GUILLEMOT	183
3.14 RESULTS: RAZORBILL	200
3.15 COMPARISONS OF COLLECTION METHODS FOR BIRDS IN FLIGHT	217
3.16 DISCUSSION	218
3.17 CONCLUSIONS	220
3.18 REFERENCES	224
APPENDIX 1 - NON-MIGRATORY FISH	229
APPENDIX 2 - BIRDS	237

1. INTRODUCTION

Robin Rigg Offshore Wind Farm is E.ON Climate & Renewables' (E.ON) third UK offshore wind farm and the first commercial offshore wind farm in Scottish waters. The site is comprised of 60 three megawatt Vestas turbines and an offshore sub-station. Turbines began full commercial operation/generation in April 2010.

In accordance with the consent from Scottish Ministers under Section 36 of the Electricity Act 1989, a Marine Environment Monitoring Programme (MEMP) was developed to record any changes to the local physical and ecological environment as a result of the construction of the wind farm.

This report represents analysis performed on data collected before construction, during construction and during the first three years of operation. These data will form a basis from which to assess any impacts from the operational phase of Robin Rigg for E.ON, by the Robin Rigg Management Group (RRMG) and Scottish Government.

1.1. Site Description

The Robin Rigg Offshore Wind Farm is situated within the central part of the Solway Firth, immediately to the north of the English/Scottish boundary which roughly bisects the firth (see Figures 1.1, 1.2 and 1.3). The centre of the turbine layout lies some 11 km from the Dumfries and Galloway coastline within Scotland and 13.5 km from the Cumbrian coastline in England. The nearest towns are Dalbeattie in Scotland, 21 km to the north-northwest and Maryport in England, 14 km to the southeast.




Figure 1.1: Map of Solway Firth showing the location of the Robin Rigg Wind Farm.




Figure 1.2: Schematic of Robin Rigg Wind Farm showing turbine locations (blue dots), inter-array cabling and grid connection to shore (red lines).







Figure 1.3: Photograph of Robin Rigg Offshore Wind Farm during the construction phase.

Turbine foundations are a monopile design, with a transition piece which provides boat fendering, access ladders and cable conduits. The monopile and transition piece are connected with a grouted joint.

The installation of turbine foundations occurred between December 2007 and February 2009, with a gap in construction between February and August 2008 (see Table 1.1). The number of foundations installed each month can be found in Figure 1.4.

Table 1.1: Schematic timetable of construction activities for the Robin Rigg offshore wind farm.

B = Birds
 M = Mammals
 EF = Electrosensitive fish
 Bth = benthic
 NM = Non migratory Fish
 I = Intertidal

 Baseline
 Pre-Construction
 Construction
 Operation

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
2001					B	B	B	B	B	B Bth	B F Bth	B F Bth
		NM Bth	NM Bth	NM	NM	NM	NM	NM	NM			
2002	B	B	B	B	B	B	B	B	B	B	B	B
2003				B	B							
2004	B	B M	B M		B M		B M	B M	B M	M	M	M
2005	M											
2006												
2007							B M Bth	NM			NM Bth	
2008	B M	B M NM	B M EF NM	B M NM	B M Bth	B M EF	B M NM	B M	B M EF	B M	B M NM Bth	B M
2009	B M	B M EF NM	B M	B M	B M	B M NM	B M	B M NM	B M	B M		B M NM
2010	B M	B M NM	B M	B M EF NM	B M Bth	B M	B M EF NM	B M	B M	B M EF NM	B M	B M
2011	B M	B M	B M EF NM	B M Bth	B M	B M	B M	B M	B M	B M	B M	B M
2012	B M EF NM	B M	B M	B M	B M NM	B M	B M	B M	B M	B M	B M	B M
2013	B M NM	B M										




Figure 1.4: Number of foundations piled each month between December 2007 and March 2009.

Installation of the turbines commenced in November 2009 (see Table 1.1). These activities involved the use of large jack-up barges. The turbine towers are 80 m high and each of the three blades, 44 m long. Turbines are positioned approximately 500 m apart.

Cables were installed from July 2008 into early 2010 (see Table 1.1) and two different methods were used; a “lay and bury” technique and also a “surface lay and later bury” technique. The two export cables were laid in May and September 2009. The last turbine was installed during August 2009 and the first turbine operated briefly in August 2009 with main commissioning commencing in September 2009 and completed in April 2010 (see Figure 1.6). A variety of ports were used during construction including Belfast, Mostyn, Newcastle, Workington, Whitehaven and Barrow.




Figure 1.5: Number of cables installed each month between July 2008 and February 2010.

The turbines are connected in four loops, each containing 15 turbines, by 33 kV submarine cables with an embedded fibre optic link (see Figure 1.2). There are 64 inter-array power cables installed between the wind turbine generators of the wind farm. The eight ends of these array cable loops are received by the two offshore substations. The array cables have two different cross-sections, varying with location; 150 mm² conductors are used close to the end points and 300 mm² conductors are used in the middle of the loop and close to the offshore sub-station.

The wind farm is connected via an offshore sub-station using two export cables which operate at 132 kV. These cables come ashore near Seaton, Cumbria and continue for approximately 2 km inland to an onshore substation. There are two submarine high voltage AC power cables connecting the offshore substation to the onshore network. These 132 kV XLPe insulated 300 mm² Cu submarine composite export cables contain three-phase power cable and one fibre optic element with double wire armour and single wire armour throughout the remainder of the route.

Turbine commissioning began in August 2009 and was completed in April 2010. The number of turbines that commenced commissioning each month is illustrated in Figure 1.6.




Figure 1.6: Number of turbines commissioned each month between August 2009 and February 2010.

In March 2011, the 132 kV export cables were sold by E.ON Climate & Renewables to a private transmission company “Transmission Capital” under the government’s new OFTO regime. E.ON Climate & Renewables has been retained by the OFTO as their O & M contractor and this includes managing the environmental monitoring aspects of the export cable.

1.2. Ecological Monitoring at Robin Rigg

1.2.1. Ecological Monitoring Rationale and MEMP

An Environmental Statement was prepared for the Scottish Executive Energy Division under Section 36 of the Electricity Act (Scotland) 1989; a Private Bill for the Scottish Parliament; the Scottish Executive - Transport Division under Section 34 of the Coastal Protection Act 1949 and the Scottish Executive – Rural Affairs Department under the Food and Environment Protection Act 1985; and in accordance with the statutory procedures set out in The Environmental Assessment (Scotland) Regulations 1988 and the Environmental Impact Assessment (Scotland) Regulations 1999, in support of an application for an offshore wind farm at Robin Rigg in the Solway Firth.

Prior to the construction of the Robin Rigg Wind Farm, a Marine Environment Monitoring Programme (MEMP) was developed in conjunction with the Robin Rigg Management Group (RRMG), covering the pre-, during and post-construction stages of development in accordance with consent from Scottish Ministers under Section 36 of the Electricity Act 1989.

The remit of the MEMP was to record any changes to the physical and ecological environment that may be caused by the construction and operation of the wind farm, complying with condition 6.4 of Section 36 Consent conditions. The programme concentrated on areas where there was uncertainty on the effects of the wind farm and where those effects may cause potential impacts on the marine ecology. This included non-migratory and electrosensitive fish, birds and marine mammals.

This report represents analysis of data available to Natural Power. All data collected during the construction and operational phases of the Robin Rigg Wind Farm was undertaken as part of the requirements for the Marine Environment Monitoring Plan (MEMP) and agreed by the RRMG.

1.2.2. Survey Regime

Full details of the survey regime for all species can be found in the relevant chapters. To summarise:

Benthic surveys

The benthos showed no significant difference in species composition over time. It was therefore agreed by the RRMG that no more MEMP surveys would be required.

Bi-annual intertidal surveys were also undertaken along the cable route land point in Cumbria.

Fish surveys

Non-migratory fish surveys: Baseline data was collected as part of the ES process via monthly trawls at 31 sampling stations in and around the proposed development. In accordance with the MEMP, monthly trawls were conducted for the first three months of the construction phase, after which the survey frequency was reduced to quarterly. Bi-annual surveys are required for the first three years of operation.

Electrosensitive fish surveys: In accordance with the MEMP electrosensitive fish surveys were carried out along the cable route at 8 sampling stations throughout the preconstruction, construction and operational periods. The numbers of surveys per year varied according to the MEMP.

Bird surveys

Baseline data was collected as part of the ES process via monthly boat surveys covering the area in and around the proposed development. In accordance with the MEMP, monthly surveys were conducted prior to construction, with the frequency increasing to bi-monthly surveys for the duration of the construction phase. Monthly surveys are required for the first five years of operation, with a review of data after three years.

Although no separate Marine Mammal surveys have taken place in Operational Year 3, their presence will be noted throughout Bird surveys.

Marine mammal surveys

No survey data were collected for marine mammals as part of the ES process. In accordance with the MEMP, monthly surveys were conducted prior to construction, with the frequency increasing to bi-

monthly surveys for the duration of the construction phase. Monthly surveys were required for the first two years of operation.

1.2.3. Ecological Analysis Rationale

The analytical methodology has been determined by the data available to Natural Power Consultants, collected in as part of the MEMP before, during and after construction.

The approach to the ecological analysis has been developed after reviewing the requirements of the MEMP, FEPA licensing requirements and the recent CEFAS document, "Strategic review of offshore wind farm monitoring data associated with FEPA licence conditions"¹.

As part of this process, consultation with Marine Scotland and SNH identified key questions or concerns for specific focus. Data analysis was specifically tailored to the predictions made in the EIA and addresses the licence monitoring conditions. The analysis has focused on key areas highlighted by the RRMG and where data was available and appropriate, to address uncertainties as outlined in the aims of the MEMP.

Specific key questions have been identified by E.ON Climate & Renewables (with NPC) and the RRMG for the data analysis. These relate to:

- Disturbance/displacement of specific species;
- Changes in patterns of abundance and distribution with distance from the wind farm; and
- Identifying any predicted impacts/sensitivities from the EIA process.

Analysis of the non-migratory and electrosensitive fish, bird and marine mammal data has been undertaken by the NPC Ecology & Hydrology Department. This has only been possible where these data, the survey program, the survey methods and the rigour and consistency of the data collected by 3rd party consultants allowed for the analysis to be undertaken.

Analysis of the intertidal data has not been undertaken for this report as these data were analysed as part of a separate report.

1.2.4. Reporting

This report represents analysis performed on ecological data collected before construction (during the baseline and pre-construction year), during construction and during the first three years of operation. The data for non-migratory and electrosensitive fish, and, birds and marine mammals has been examined in order to assess the impact of the offshore wind farm on the Solway ecosystem and validate the prediction made in the Environmental Statement.

This report has been structured by topic, whereby each chapter is set out as a self contained paper with introduction, methodology (for both survey and analysis), results, discussion and references for each of the two sets of survey data collected (i.e. non-migratory and electrosensitive fish, and, bird and mammal surveys). As such there is no overall discussion; however each chapter has, where appropriate, drawn on the results and conclusion of the other chapters to provide a holistic interpretation of the impact of the site on the Solway Firth ecosystem.

¹ Walker, R. & Judd, Adrian. 2010. Strategic Review of offshore wind farm monitoring data associated with FEPA licence conditions. CEFAS, SMRU Ltd, FERA on behalf of DEFRA & MMO.