



Annex IV Environmental Research Webinar Series

Annex IV State of the Science Webinar

Presented by: Andrea Copping









Proudly Operated by Baffelle Since 1965

ANNEX IV

2016 State of the Science Report

ENVIRONMENTAL EFFECTS OF MARINE RENEWABLE ENERGY DEVELOPMENT AROUND THE WORLD



http://tethys.pnnl.gov/publications/state-of-the-science-2016

2016 Annex IV State of the Science Report

ENVIRONMENTAL EFFECTS OF MARINE ENERGY DEVELOPMENT AROUND THE WORLD







- Marine Renewable Energy (MRE):
 - Industry in early stages of development, deployment, and commercialization
 - Need to streamline siting and permitting/consenting
- State of Science (SoS) report summarizes interactions and effects of MRE devices on the marine environment, the animals that live there, and the habitats that support them
- SoS helps:
 - Inform regulators and researchers about potential risks from tidal and wave installations;
 - Assists MRE developers in developing engineering, siting, operational strategies, and monitoring options for projects that minimize encounters with marine animals and/or diminish the effects if such encounters occur.
- SoS information can simplify and shorten the time to permit/consent deployment of single and multiple device arrays, but site-specific knowledge will still be needed
- SoS 2016 serves an update and complement to 2013 Annex IV report.

Environmental Effects of Marine Energy

- Drivers of marine energy development are clear:
 - Need for reliable low carbon energy sources, mitigate climate change
 - Renewable energy standards in many nations, regions
 - Secure energy generated locally

BUT

- Stakeholders have concerns about potential impacts
- Regulatory/consenting processes are not well established

DRIVEN BY:

- New, largely unknown technologies with unknown potential for harm
- New use of ocean space, many other users
- Insufficient knowledge of ocean environment in high energy areas
- Concerns about marine species already under stress







Proudly Operated by Baffelle Since 1965

Purpose of Annex IV



- Annex IV is a collaborative initiative of the Ocean Energy Systems (OES), under the International Energy Agency (IEA) Technology Network.
- Annex IV is led by the US, with 13 partner nations, and is designed to:
 - "Facilitate efficient government oversight of ocean energy systems development by expanding our baseline knowledge of environmental effects and monitoring methods;
 - "Ensure that existing information and data on environmental monitoring are more widely accessible to those in the industry; national, state, and regional governments; and the public; and
 - "Facilitate knowledge and information transfer".

State of Science Report - Chapters



Proudly Operated by Battelle Since 1965

Chapter Number	Title	Authors
1	Introduction	A. Copping
2	Potential Environmental Interactions Associated with the Deployment of Marine Renewable Energy Devices	L. Hanna, A. Copping
3	Collision Risk for Animals Around Tidal Turbines	G. Zydlewski, G. Staines, C. Sparling, E. Masden, J. Wood
4	Risk to Marine Animals from Underwater Sound from Marine Renewable Energy Devices	N. Sather. A. Copping
5	Changes to Physical Systems: Energy Removal and Changes in Flow	J. Whiting, A. Copping
6	Effects of EMF on Marine Animals from Electrical Cables and Marine Renewable Energy Devices	A. Gill
7	Changes in Habitats Caused by Marine Renewable Energy Devices: Benthic Habitats and Reefing Patterns	N. Sather, A. Copping, G. Zydlewski, G. Staines
8	Marine Spatial Planning and Marine Renewable Energy	AM. O'Hagan
9	Case studies that Examine Siting and Permitting/Consenting of Marine Renewable Energy Devices	T. Simas, J. Bald
10	Summary and Path Forward for Marine Energy Monitoring and Research	A. Copping, I. Hutchison



PUBLIC REVIEW DRAFT



Introduction



Chapter author: A. Copping

This report summarizes the state of the science of interactions and effects of marine renewable energy (MRE) devices on the marine environment, the animals that live there, and the habitats that support them. This report serves an update and a complement to the 2013 Annex IV report that can be found at http://tethys.pnnl.gov/publications/final-annex-iv-report-2013.



MRE development is also referred to as ocean energy development, or marine and hydrokinetic energy development; we use the acronym MRE throughout this document for consistency. MRE development, worldwide is still in the early stages of development, deployment, and commercialization. While MRE devices include those aimed at harvesting tides, waves, and ocean currents, as well as temperature and salinity differentials in seawater, most environmental studies have focused on tidal turbines and wave energy converters (WECS), with some emphasis on ocean current and river turbines.



Introducing the State of Science report

- Discusses benefits of MRE for climate change mitigation and energy security.
- The need to organize the international community around environmental effects of MRE.







PUBLIC REVIEW DRAFT





Summary of Potential Environmental Interactions Associated with the Deployment of Marine Renewable Energy Devices

Chapter authors: L. Hanna, A. Copping

As MRE technologies are installed, they will interact with and affect the surrounding marine environment in a variety of ways. Depending on the specific technology, certain stressors or components of each device may affect marine animals and habitats, also referred to as environmental receptors. Table 2.1 lists the key potential stressor-receptor interactions associated with MRE technologies (Boehlert and Gill 2010; Copping et al. 2013; Aquatera Limited 2012), and provides a brief description of each potential interaction.



Environmental Effects of Marine Renewable Energy Development around the World

Proudly Operated by Battelle Since 1965

Focus:

Overall risk of MRE devices to marine animals and habitats

- Scientific uncertainty drives much of the risk perceived now; more data collection and research can help to reduce uncertainty.
- Most important and potentially highest risk interactions include:
 - Collision of animals with tidal turbines,
 - Underwater noise from MRE devices on animals,
 - EMF from cables and devices.
- Generally little impact expected from single devices, larger arrays will require more investigation.



PUBLIC REVIEW DRAFT



Collision Risk for Animals around Tidal Turbines



The potential for marine animals to collide with the moving parts of tidal devices, particularly the rotors of horizontal-axis tidal-stream turbines, is a primary concern for consenting/ permitting and licensing of tidal developments. The importance of this issue, associated definitions, and the need to understand collision risk in general, and for mammals, fish, and seabirds, in particular, are discussed in the following sections.

Chapter authors: G. Zydlewski, G. Staines, C. Sparling, E. Masden, J. Wood

3.1 IMPORTANCE OF THE ISSUE

A nimal interactions with tidal turbines is an active darea of research because many questions remain today and ecological consequences are still mostly implied by expert opinion (Busch et al. 2013). Most recently, application of risk frameworks and collision risk modeling (Romero-Gomez and Richmond 2014; Hammar et al. 2015) has greatly informed research directions including the need to assess risk to populations with respect to environmental changes associated with climate (Busch et al. 2013).



Risk to animals from collision with the blades of a tidal turbine

- Animals considered to be at potential risk include marine mammals, fish, and diving seabirds.
- No observations have ever been made of a collision with a device.
- Technologies to observe collision are not well developed and difficult to operate in high-energy environments.
- Important to quantitatively estimate number of animals potentially in area of turbines, and to understand their capability to sense and evade devices.
- Collisions with tidal turbines are examined for individual animals; results must be put in context of risk to populations.



PUBLIC REVIEW DRAFT



Chapter authors: N. Sather, A. Copping

Risk to Marine Animals from Underwater Sound Generated by Marine Renewable Energy Devices



The effects of acoustic output from tidal and wave devices on marine animals were previously addressed in the 2013 Annex IV report. The purpose of this chapter is to provide an update of new knowledge relating the effects of underwater sound from wave and tidal devices to marine animals.



Potential effects of underwater noise on marine animals from wave and tidal devices.

- Marine animals use underwater sound as terrestrial animals use light to see, especially for navigation and communication.
- Sound from MRE devices may add to other anthropogenic sounds and could disturb animals, especially marine mammals and fish.
- Noise from single turbines and WECs are being measured, and predictions can be made about what arrays may sound like to marine animals.
- Excess underwater noise could cause physical harm including loss of hearing ability, physical harm to tissues, and/or behavioral changes.
- Additional data are needed to understand how sounds may affect animals.



PUBLIC REVIEW DRAFT

5.0



Chapter authors: J. Whiting, A. Copping

Changes in Physical Systems: Energy Removal and Changes in Flow

The effects of altering natural water flows and removing energy from physical systems in the ocean by the installation and operation of MRE devices were previously addressed in the 2013 Annex IV report (Copping et al. 2013). The purpose of this chapter is to summarize previous information about flow changes and energy removal caused by wave and tidal devices, including changes in sediment transport and water quality, and to update these findings with new knowledge.

5.1 GOAL AND OBJECTIVES

The goal of this chapter is summarize the state of knowledge of changes in the physical ocean systems caused by MRE projects worldwide. Objectives include the following:

- Identify recent wave and tidal projects with a monitoring program that addresses physical changes in the environment.
- Analyze details of recent laboratory experiments and numerical modeling simulations that help to inform the understanding of potential physical effects from MRE devices.
- Compare the cumulative understanding from recent studies with knowledge gaps identified in the previous Annex IV report to identify progress.
- Diagnose persisting knowledge gaps based on a review of available research.

Environmental Effects of Marine Renewable Energy Development around the World

Pacific Northwest

Proudly Operated by Battelle Since 1965

Focus:

Effects on ocean waters of MRE development.

- Placement of MRE devices in the oceans can change circulation and remove energy from the system, as well as potentially change patterns of sediment movement.
- The amount of change that will occur from single devices or small arrays is likely to be immeasurably small.
- Numerical models suggest that changes may be measureable only with the operation of very large arrays that are probably too large to be realistically considered for most waterbodies.







Chapter author: A. Gill Effects of EMF on Marine Animals from Electrical Cables and Marine Renewable Energy Devices

To meet the objectives of the Annex IV, Phase 2, State of the Science report, this chapter focuses on the topic of electromagnetic fields (EMFs). EMFs are poorly understood and are conceptually a challenge to understand, perhaps because our inability as humans to sense them leads to less focus on EMF as environmental risks. This chapter aims to identify the key questions that have arisen from various sectors in relation to EMFs and to provide an up-to-date synthesis of the current knowledge base. With this knowledge, the reader should be able to better appreciate EMFs as an environmental effect that should be taken into account when considering the sustainable management of human activities within the marine environment and promoting MRE.



Effects of EMF on Marine Animals from Electrical Cables and Devices

- Additions of EMFs from power export cables and energized parts of devices can add to naturally-occurring magnetic fields, and have the potential to disturb certain marine animals.
- Some animals including some elasmobranchs and invertebrates, are known to be electro- or magneto-sensitive and could be disturbed by EMFs from MRE devices.
- Power cables will generally be buried and effectively shield the environment from EMF.
- Most studies to date have focused on behavioral responses of animals to EMF.
- Lab and field studies have shown no evidence that EMFs, at the levels expected from MRE devices, will have an effect on any species.

PUBLIC REVIEW DRAFT





Chapter authors: N. Sather, A. Copping, G. Zydlewski, G. Staines

Changes in Habitats Caused by Marine Renewable Energy Devices: Benthic Habitats and Reefing Patterns

The installation of MRE devices alters marine habitats through mechanisms that induce physical change. These changes in habitat have the potential to alter or eliminate species occurrence at a localized scale, provide opportunities for colonization by new species, alter patAll MRE devices must be attached to the sea bottom Ain some manner, either with gravity foundations, piled into the seafloor, or by one of several anchoring solutions. The placement on the seafloor, as well as movement of anchor lines, cables, and mechanical moving parts, can all affect the surrounding rocky or soft-bottom seabed and the benthic organisms these habitats support (Figure 7.1). Similarly, the presence of MRE devices on the seafloor or suspended in the water column may attract fish and benthic organisms, causing them to change their behavior and settling locations, perhaps affecting population movement, structure, or success.



Changes in benthic habitats and reefing of fish, due to MRE devices.

- MRE devices can change the bottom habitats by disturbing sediments under their foundations, as well as around anchors and mooring lines.
- Devices will attract fish and invertebrates, that will remain around the parts of the devices and systems.
- No evidence collected to date shows that significant negative effects will occur to benthic areas around MRE developments, or that marine animals reefing around devices will harm fish populations.



PUBLIC REVIEW DRAFT

Chapter authors: A.M. O'Hagan

Marine Spatial Planning and Marine Renewable Energy

Marine spatial planning (MSP) is a comparatively recent approach to planning and managing sea uses and users in a way that helps achieve sustainable development of marine areas. The rationale

for MSP is to provide a stable and transparent planning system for maritime activities and users within agreed-upon environmental limits to ensure marine ecosystems and their biodiversity remain healthy.

M SP works across multiple sectors, within a speci-fied geographic context, to facilitate decisionmaking about the use of resources, development, conservation, and the management of activities in the marine environment both now and in the future. To be effective, MSP should be integrated across sectors, ecosystem-based, participatory, strategic, adaptive, and tailored to suit the needs of a predetermined marine area. Currently, marine activities tend to be managed on a sector by sector basis, thereby limiting the consideration that can be given to other marine activities likely to occur in the same space, as well as the effects of that activity on the receiving environment. Processes such as environmental assessments address the impacts of an activity on the environment before a development or activity occurs, but this can be limited to a specific site and cumulative impacts



Figure 8.1. Representation of different potential marine users and conflicts of interest (Sutherland 2005).

remain a challenge for those processes. Failure to take a more holistic approach to planning can result in conflicts between different marine users and activities and also conflicts with the physical environment (Figure 8.1). Conflicts usually result in "reactive" management rather than more proactive management where agreed-upon desired outcomes can be facilitated.

Environmental Effects of Marine Renewable Energy Development around the World



Marine Spatial Planning (MSP) and the role of MRE development.

- MSP involves planning and managing sea uses and users to support sustainable development of marine areas.
- Annex IV representatives were surveyed about use of MSP in their nations.
- Several nations have formal MSP processes, others have coastal management plans that embody principles of MSP, and several have no MSP in place.
- MSP must use a stable and transparent planning system for maritime activities and users within agreed environmental limits, working across multiple sectors, including the MRE industry.



PUBLIC REVIEW DRAF







Chapter Authors: T. Simas and J. Bald

Case Studies that Examine Siting and Permitting/ Consenting of Marine Renewable Energy Devices





The consenting process, including the environmental impact assessment of ocean energy projects, is still regarded as a challenge to marine renewable energy scale-up to create a cost-competitive viable MRE industry. Specifically, uncertainty about the appropriate application of environmental legislation, which can prolong the consenting processes (adding cost and delay) is a key focus area. Currently the environmental effects and impacts of MRE devices on the marine environment, and vice versa, are significant areas of uncertainty. Furthermore, the scarcity of data on the environmental interactions of new technologies often means they are characterized as a threat, requiring extensive supporting environmental information, the collection of which can be costly and time consuming.

Environmental Effects of Marine Renewable Energy Development around the World

Chapter 9 – Consenting Case Studies



Focus:

Examined four consented projects to learn lessons to help MRE development.

- Consenting processes were reviewed:
 - WaveRoller wave technology, installed in Portugal;
 - **TidGen®** Power System tidal technology, installed in the United States;
 - SeaGen tidal technology installed in Northern Ireland; and
 - BIMEP (Biscay Marine Energy Platform), a designated wave test site in the Basque country, Spain.
- Project success is supported by:
 - Carrying out strong stakeholder outreach throughout the process.
 - Developing robust monitoring plans, adaptive management strategies, and a sound Environmental Impact Assessments.
- At present, there are no dedicated policies that streamline development of wave and tidal projects.



PUBLIC REVIEW DRAF!

Summary and Path Forward for Marine Renewable Energy Monitoring and Research

10.1

Chapter authors: A. Copping, I. Hutchison

This report has summarized and placed in context information about the environmental effects of MRE development, to the extent that the information is publicly available. The lessons learned, research gaps, and recommendations from each of the chapters in this report are summarized in the ensuing sections. A path forward in the face of scientific uncertainty is also discussed. A path forward in the face of scientific uncertainty is also discussed.



POTENTIAL INTERACTIONS OF MRE DEVICES WITH THE ENVIRONMENT (Chapter 2)

 $U_{\text{MRE}}^{\text{ncertainty associated with interactions between}}$ continues to cause a high degree of risk for permitting/ consenting pathways, which in turn causes uncertainty and delays in establishing the industry. By examining all of the possible interactions that might occur, a set of high-priority interactions has been identified. In most cases, interactions that most concern regulators and stakeholders are also the focus of the efforts of researchers working in this field, as well as the focus of work undertaken by developers during the consenting/permitting process. These researchers are actively seeking to understand the high-priority interactions, determining appropriate methods for recording or observing the interactions, and collaborating to develop appropriate instrumentation and data analysis methods to cost-effectively collect data during the life of MRE projects. Monitoring required of developers also focuses largely on these highly uncertain and unknown interactions.

Environmental Effects of Marine Renewable Energy Development around the World



Summary of document and a path forward for the industry in the face of scientific uncertainty.

- Interactions with MRE devices are perceived to be risky largely due to uncertainty.
- Additional information will help to retire insignificant risks, while other risks may be determined to need mitigation. Monitoring requirements will be reduced as we learn more.
- There are no methods for monitoring certain interactions now; these require strategic research investments to proceed.



2016 State of the Science Report



- Final version of State of Science report was released April 25th 2016 and is available at: <u>http://tethys.pnnl.gov/publications/state-of-the-science-2016</u>
- Executive Summary also available at same site, in English, Chinese, Japanese, Norwegian, Portuguese, Spanish, and Swedish.







Thank you!

The full report and executive summary can be found on Tethys at: <u>http://tethys.pnnl.gov/publications/state-of-the-</u> <u>science-2016</u>

Andrea Copping <u>Andrea.copping@pnnl.gov</u> +1.206.528.3049 Pacific Northwest

ANNEX IV NATIONS:

Canada China Ireland Japan **New Zealand** Nigeria Norway **Portugal** South Africa **Spain** <u>Sweden</u> **United Kingdom United States**



Energy Efficiency & Renewable Energy





THANK YOU!



Proudly Operated by Battelle Since 1965

Recordings of presentations will be posted on Tethys at: http://Tethys.pnnl.gov

Information on previous and upcoming Annex IV workshops

The next Annex IV Environmental webinar is planned for June 14
Role of Biofouling in Marine Renewable Energy Development

For those of you who are not on the webinar mailing list, simply send a blank email to join-tethys-webinars@lyris.pnnl.gov

Andrea Copping (<u>Andrea.Copping@pnnl.gov</u>) Luke Hanna (<u>Luke.Hanna@pnnl.gov</u>) Jonathan Whiting (<u>Jonathan.Whiting@pnnl.gov</u>) Nikki Sather (<u>Nichole.Sather@pnnl.gov</u>)

