Fish interaction with ORPC TidGen™ in Cobscook Bay

Gayle Zydlewski, University of Maine

Development of an ELAM Fish Behavior Model

Gayle Zydlewski, University of Maine
Mark Grippo, Argonne National Laboratory

Acknowledgments

- Zydlewski Lab
  - James McCleave
  - Haley Viehman
  - Garrett Staines
  - Jeffrey Vieser
  - Megan Altenritter
  - Haixue Shen
  - Matthew Altenritter
  - Matthew Dzaugis
  - Patrick Erbland
  - Brittney Fleenor
  - Alexander Jensen
  - Amy Wyman
- Chris Bartlett
- Fishermen and community partners.
- UMaine's Sustainability Solutions Initiative
- ORPC

Award EPS-0904155





ORPC
OCEAN RENEWABLE
POWER COMPANY

1865 THE UNIVERSITY OF MAINE
School of MARINE SCIENCES



1865 THE UNIVERSITY OF MAINE
School of MARINE SCIENCES

Individual evasion/avoidance









Example DIDSON Footage





Individual Behavior

- Pass By

- Through Turbine:
  - Into Turbine
  - Out of turbine

- Active Avoidance:
  - Above
  - Reverse
  - Below

- In Wake



Viehman and Zydlewski. In revision. *Estuaries and Coasts*.

Behavior by Size, Day v. Night



(when turbine is moving)

Viehman and Zydlewski. In revision. *Estuaries and Coasts*.

THE UNIVERSITY OF MAINE School of MARINE SCIENCES



1865 THE UNIVERSITY OF MAINE
School of MARINE SCIENCES

DE-FOA-000293

U.S. DEPARTMENT OF ENERGY

ORPC OCEAN RENEWABLE POWER COMPANY

1865 THE UNIVERSITY OF MAINE School of MARINE SCIENCES

Maine Sea Grant Marine Science for Maine People







THE UNIVERSITY OF MAINE
School of MARINE SCIENCES


Major Axis
9.6 m
Central Axis
Transducer
5.5 m
Above
Beside
Turbine
3.4 m
6.6 m
9.6 m

Types of Data: Horizontal Movement





Beside

Above

Turbine

Ebb



n = 4







Flood



n = 3







PRELIMINARY

WEDM

Broad scale changes in distribution and abundance



1865 THE UNIVERSITY OF MAINE
School of MARINE SCIENCES

Broad Scale: Study Design

- Wide-angle, single-beam echosounder
- Before-After-Control-Impact



EE-000298
DE-FOA-000293





THE UNIVERSITY OF MAINE
School of MARINE SCIENCES



Year	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec
2010					1, 2			1, 2	1, 2	1, 2	1, 2	
2011			1, 2		1, 2	1,2		1, 2	1, 2		1, 2	
2012	1, 2		1, 2		1a, 1b, 2	2		1a, 1b, 2	1a, 1b, 2			

Vertical Distribution





May 2012
'Beside'

PRELIMINARY

May 2012
'In-line'



May
Control



THE UNIVERSITY OF MAINE
School of MARINE SCIENCES

Site Abundance (relative density)







THE UNIVERSITY OF MAINE
1865
School of MARINE SCIENCES

EVEN BroadER scale

1865 THE UNIVERSITY OF MAINE
School of MARINE SCIENCES


WASHINGTON
COUNTY (MAINE)
DEER ISLAND
(CAN)
WESTERN PASSAGE
COBSCOOK BAY
Eastport
Lubec
Proposed project site
67°05′
67°00′
CAN
USA
Outer Bay
Inner Bay

Fish interaction with ORPC TidGen™ in Cobscook Bay

Gayle Zydlewski, University of Maine



Development of an ELAM Fish Behavior Model

Gayle Zydlewski, University of Maine
Mark Grippo, Argonne National Laboratory

Environmental Science Division (EVS)
Advancing informed environmental decision making



1865 THE UNIVERSITY OF MAINE
School of MARINE SCIENCES

Mobile Hydroacoustics







Behavioral Change Points - Avoidance and Evasion



USE OF ELAM to Assess Behavioral Risks Associated with an MHK Turbine

M. Grippo
Environmental Science Division
Argonne National Laboratory

MHK Market Acceleration

The overall goal is to reduce the time and costs associated with siting and deploying MHK projects

Aid developers in meeting NEPA requirements by addressing concerns of regulatory and management agencies



EPA RISK ASSESSMENT
Analysis Phase

1. Characterization of Exposure

- Exposure of ecological receptors based on species life history and ecology

2. Characterization of Effects

- What are the effects of exposure

Source:Guidelines for Ecological Risk Assessment (EPA, 1998)

Behavioral Risk

Determining the behavioral responses of fish to MHK devices is critical to characterizing risk

- Avoidance or attraction
- Risk of blade strike
- Which species could be affected?
  - -Migratory species
  - -Structure oriented fish
- Do turbines occupy preferred habitat

Understanding Behavioral risk becomes even more important at full commercial build out

Mechanistic Behavior Models

- An attempt to understand the drivers of observed behavior
- Models animal movements based on various decision rules about how individual organisms respond to changing environmental variables.
- Allows one to forecast behavioral change under different environmental conditions

Mechanistic Behavior Models

Eulerian-Lagrangian-Agent Method (ELAM)

- The ELAM simulates fish behavior based primarily on hydrodynamic cues
- Developed by the US Army Corps of Engineers (USACE), Engineer Research and Development Center (ERDC; Goodwin et al. 2006)
- The ELAM has been applied to dam operations and fish bypass designs
- First application of the ELAM to MHK technology.

Method Overview



Hydrodynamic model development and initial mobile hydroacoustic surveys are ongoing

Completion by Fall 2014

Method

Hydrodynamic model development - Huijie Xue (UMaine)

- Increase spatial resolution of existing model to 1 m with 500 m upstream and downstream of the ORPC turbine
- Simulate hydrology for the time period corresponding to the mobile hydroacoustic survey

Hydrodynamic model development – Jesse Roberts (SNL)

- High resolution hydrodynamic model for Cobscook Bay using SNL-EFDC
- SNL-EFDC is used by ORPC and has wide familiarity within the MHK industry.

Method

Hydroacoustic fish data - Dr. Gayle Zydlewski (UMaine)

- Side-looking passive hydroacoustics data
- Mobile down-looking hydroacoustic drift surveys covering 100s of meters on either side of ORPC turbine
- Surveys conducted on flooding tide in spring and summer

Method

ELAM - Dr. Andrew Goodwin (US Army Engineer R&D Center)

- Synchronize the fish position data and the hydrodynamic model output
- Evaluate whether the ELAM simulates actual fish density and movement patterns more accurately than treating the fish as passive particles
- Refine to increase the correspondence between real-world fish data and ELAM model patterns

Ecological Risk Evaluation

- Place ELAM analysis results in an ecological risk context
  - -characterization of exposure
  - -inform the probability of blade strike

- Characterization of effects
  - Assess the nature and magnitude of movement changes
  - -before and after encountering the ORPC turbine
  - -with and without the turbines

- The analysis will include species specific evaluations

Potential Applications of the ELAM

- The modeled response of fish to a single MHK device would provide information on the potential responses of fish to an array of turbines
- Forecast fish responses to alternative turbine designs, turbine locations within the channel, and turbine configurations within an array
- Evaluate alternatives that may minimize impacts to fish movement behavior

Acknowledgements

Jocelyn Brown-Saracino
US Department of Energy

Hoyt Battey
US Department of Energy

Ocean Renewable Power Company