



U.S. DEPARTMENT OF
ENERGY

PNNL-19500

Prepared for the U.S. Department of Energy
under Contract DE-AC05-76RL01830

Conceptual Model of Offshore Wind Environmental Risk Evaluation System

Environmental Effects of Offshore Wind Energy Fiscal Year 2010

RM Anderson
AE Copping
FB Van Cleve

SD Unwin
EL Hamilton

June 2010



Pacific Northwest
NATIONAL LABORATORY

*Proudly Operated by **Battelle** Since 1965*

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor Battelle Memorial Institute, nor any of their employees, makes **any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights.** Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or Battelle Memorial Institute. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

PACIFIC NORTHWEST NATIONAL LABORATORY

operated by

BATTELLE

for the

UNITED STATES DEPARTMENT OF ENERGY

under Contract DE-AC05-76RL01830

Printed in the United States of America

**Available to DOE and DOE contractors from the
Office of Scientific and Technical Information,
P.O. Box 62, Oak Ridge, TN 37831-0062;
ph: (865) 576-8401
fax: (865) 576-5728
email: reports@adonis.osti.gov**

**Available to the public from the National Technical Information Service,
U.S. Department of Commerce, 5285 Port Royal Rd., Springfield, VA 22161
ph: (800) 553-6847
fax: (703) 605-6900
email: orders@ntis.fedworld.gov
online ordering: <http://www.ntis.gov/ordering.htm>**



This document was printed on recycled paper.

(9/2003)

Conceptual Model of Offshore Wind Environmental Risk Evaluation System

**Environmental Effects of Offshore Wind Energy
Fiscal Year 2010**

RM Anderson
AE Copping
FB Van Cleve

SD Unwin
EL Hamilton

June 2010

Prepared for
the U.S. Department of Energy
under Contract DE-AC05-76RL01830

Pacific Northwest National Laboratory
Richland, Washington 99352

Summary

In this report we describe the development of the Environmental Risk Evaluation System (ERES), a risk-informed analytical process for estimating the environmental risks associated with the construction and operation of offshore wind energy generation projects. The development of ERES for offshore wind is closely allied with a concurrent process undertaken to examine environmental effects of marine and hydrokinetic (MHK) energy generation, although specific risk-relevant attributes will differ between the MHK and offshore wind domains.

During fiscal year 2010, a conceptual design of ERES for offshore wind will be developed. The offshore wind ERES mockup described in this report will provide a preview of the functionality of a fully developed risk evaluation system that will use risk assessment techniques to determine priority stressors on aquatic organisms and environments from specific technology aspects, identify key uncertainties underlying high-risk issues, compile a wide-range of data types in an innovative and flexible data organizing scheme, and inform planning and decision processes with a transparent and technically robust decision-support tool. A fully functional version of ERES for offshore wind will be developed in a subsequent phase of the project.

Acronyms and Abbreviations

DOE	U.S. Department of Energy
ERES	Environmental Risk Evaluation System
FY	fiscal year
GIS	geographic information system
GPS	Global Positioning System
KMS	knowledge management system
MHK	marine and hydrokinetic
PNNL	Pacific Northwest National Laboratory

Contents

Summary	iii
Acronyms and Abbreviations	iv
1.0 Introduction	1
2.0 Conceptual Design of the Risk-Informed Decision Support Framework	1
3.0 Risk Evaluation Process for Offshore Wind.....	3
4.0 Risk Management and Communication.....	4
5.0 Transition from Mockup to Full Functionality.....	7

Figures

1 Relationship between the marine and hydrokinetic (MHK) and offshore wind environmental risk evaluation systems and knowledge management systems.....	2
2 Stylized example of the ERES user interface	5
3 Example of visualization of ERES data.....	7

Table

1 Steps and outcomes for offshore wind ERES development	3
---	---

1.0 Introduction

The Wind and Water Power Program of the U.S. Department of Energy (DOE) Office of Energy Efficiency and Renewable Energy is working with wind industry partners to develop clean, domestic, innovative wind energy technologies. The generation of energy from offshore wind has the potential to play a significant role in the nation's renewables portfolio. The first U.S. offshore wind farm has recently been granted rights to develop off the Atlantic coast; to date, no offshore wind farms have been developed. It is commonly believed that the lack of information on potential environmental impacts from the installation and operation of the facilities has slowed and confounded regulatory processes for moving forward efficiently on offshore wind development in the United States.

Pacific Northwest National Laboratory (PNNL) plans to evaluate the available information on environmental impacts from the installation and operation of offshore wind farms through the design and application of a risk framework entitled the Environmental Risk Evaluation System (ERES). The application of ERES and the specific decision-support tools developed to evaluate environmental effects of offshore wind will address the most important issues, risk categories, and information needs identified by stakeholders. During fiscal year (FY) 2010, a conceptual design of ERES for offshore wind will be developed. A visualization interface that will display output from ERES will be outlined, and a mockup created to demonstrate the usage and utility of the approach. A fully functional version of ERES for offshore wind will be developed in a subsequent phase of the project. Stakeholder input as well as guidance from the DOE Wind Program will be solicited in developing the design and specifications for this future version.

2.0 Conceptual Design of the Risk-Informed Decision Support Framework

The development of the ERES for offshore wind is closely allied with the process undertaken to examine environmental effects of marine and hydrokinetic (MHK) energy generation, although specific risk-relevant attributes will differ between the MHK and offshore wind domains. For both offshore wind and MHK, the ERES is tied closely to a knowledge management system (see below). The following description of the design of the ERES provides the overall concepts, while later sections address the specific application of the ERES for offshore wind.

Development and Application of ERES for Water Power. The concept for the ERES has been developed for application to MHK energy generation under the DOE Water Power program. As the U.S. MHK industry moves forward to deploy pilot, demonstration and commercial projects in coastal waters, concerns from regulators and stakeholders have focused on potential threats to marine life and to existing beneficial uses of marine waters. The ERES is under development to evaluate the relative risks of the many potential interactions between stressors (i.e., MHK systems and their component parts) and receptors in the marine environment (i.e., organisms such as marine mammals, fish, turtles, diving birds, as well as the waterbodies themselves through deteriorating water quality or changes in sediment transport).

The tools and processes developed under the ERES will be common between MHK and offshore wind, while the application of those tools, the specific risk models, and the outputs of the two renewable energy sources will be distinct. In addition, the cases, tools, and processes of the ERES developed for MHK and offshore wind can be disassociated from one another at any time if necessary or desirable.

Knowledge Management System. A knowledge management system (KMS) has been created for MHK to organize and manage data and information for the ERES. This KMS is called *Tethys*, after the mythical Greek titaness of the sea. We propose to develop a parallel KMS named *Zephyrus*, after the Greek god of the west wind, to house and organize offshore wind environmental effects data. There are obvious crossovers between MHK environmental effects and those for offshore wind, notably the effect that wind platforms or wave buoys have on animals and physical processes in the ocean. In addition, many effects will be peculiar to offshore wind, most notably the effect that the rotors will have on migratory seabirds and perhaps bats. To best accommodate the needs of MHK and offshore wind, portions of the KMS will be shared, while other portions will contain data used only for one or the other renewable energy source. However, the structure of the KMS will allow separation of the MHK and offshore wind databases and all their relevant content at any time, if that becomes necessary or desirable.

The primary function of a KMS is to facilitate the creation, annotation, and exchange of information on environmental effects of offshore wind technology. The offshore wind KMS would be populated with data from multiple sources, including existing pilot and commercial offshore wind projects from the United States and abroad, from targeted environmental studies supported by DOE and other sources, and data generated by PNNL, other national laboratories, and universities. Data will eventually include tabular and geospatial data, text-based electronic documents, maps and geographic information system (GIS) layers, photographs, engineering drawings and specifications, technology descriptions, and demographic data. Figure 1 shows the similarities and differences between ERES processes for MHK and offshore wind.




Figure 1. Relationship between the marine and hydrokinetic (MHK) and offshore wind environmental risk evaluation systems and knowledge management systems.

Table 1 provides a conceptual representation of the process of developing the ERES and the KMS for offshore wind and MHK. Risk analysis steps include identification of analysis cases, risk analysis screening to identify highest risk-relevant issues, and risk modeling to estimate risk metrics for risk-relevant stressor–receptor interactions. The risk metrics will be used to develop risk management and mitigation strategies and to communicate those risks.

Table 1. Steps and outcomes for offshore wind ERES development.

Steps	Purpose	Inputs	Outputs	FY10
1. ERES framework development	Definition of domain for risk-relevant factors	Stressor, receptor, and context data	Risk-relevant attributes	Conceptual description
2. Initial case selection	Priorities include “spanning the analytical space”	Project info, selection criteria	3 initial cases selected for analysis	Conceptual description
3. Screening analysis on initial cases	Highest risk issues identified	Data for verification	Risk-relevant issues	Conceptual description, description of analytical tools, linkage to KMS
4. Risk modeling	Cumulative risk output calculated	Deterministic, probabilistic, impact models, sensitivity analysis	Risk metrics that relate each stressor to receptor	Conceptual description, description of analytical tools, linkage to KMS
5. Risk management and mitigation	Strategies developed, verified by field data	Risk-relevant issues, risk metrics	Risk mitigation strategies	Conceptual description
6. Risk communication	Risk and risk tools presented in formats accessible to stakeholders	Risk metrics, risk-relevant issues	Risk visualization, communication tools	Conceptual description, mockup of visualization tools

3.0 Risk Evaluation Process for Offshore Wind

The process for developing the ERES for offshore wind follows the six steps laid out in Table 1. Due to funding and schedule constraints, each step will consist of a limited mock up during FY10. Key portions of the ERES development include identifying and developing analytical tools to carry out screening analyses and risk modeling, developing risk management and mitigation strategies, and creating methods for risk communication.

Identifying or Creating Analytical Tools. Analytical tools that will be included in the ERES will be useful in performing risk- and decision-related analysis. Existing tools will be used where available and

tools will be adapted or developed where necessary. Deterministic models may include detailed hydrodynamic models to examine circulation spatially and temporally in the vicinity of proposed wind farms. Probabilistic models will be used to understand other interactions such as collision risk for migrating birds at wind turbine rotor altitude. More complex models such as hydrodynamic models or models based on geographic information system (GIS) platforms will remain outside the ERES and be available as linked models. Tools that are locally available (embedded within the ERES) will perform simpler analyses based on spreadsheet functionality and other features. These will include tools to conduct sensitivity/what-if analyses, and functionality to perform Monte Carlo simulation. Visualization and animation tools will be applied to display risk communicative results.

The analytical tools will be applied to create estimates of risk; analysis outputs will be summarized and entered into the KMS. These results might include risk data sheets that list scenarios, impact severities, and measure(s) of uncertainty. As much as possible, these results will be spatially specific, including Global Positioning System (GPS) and/or latitude-longitude coordinates. Displays and animations created for risk communication will also be added to the KMS. These outputs might include cumulative distribution functions and risk contour maps.

Linking the KMS to the Analytical Tools. The KMS will be linked to the analytical tools as an evidence marshaling tool, allowing users to bring together disparate pieces of evidence (e.g., documents, database records, data values from tables, simulation results), in order to make them available as input parameters for risk models. This linkage from the KMS to the ERES will provide an unprecedented level of transparency in the use of data to support the analysis tools and risk outcomes.

In addition, outputs from the risk analyses, as well as supporting evidence provenance and other annotations, will be entered into the KMS, linking back to the input data files. This association of data will allow analysis results to be linked to specific candidate sites, geographic regions, site developers, or other attributes, creating patterns and linkages that may be of interest to the offshore wind stakeholder community.

4.0 Risk Management and Communication

Risk metrics will be used to develop risk management and mitigation strategies to address the most pressing issues identified in the study. Consultation with a wide range of stakeholders and regulatory agency staff will be necessary to develop acceptable mitigation strategies.

Outputs of the risk modeling within the ERES will be used to drive visualization, animation, and other displays to provide accessible outputs of the analyses. These visualizations will include ancillary environmental- and technology-related data as well as data of risk-relevance. Figure 2 provides an illustration of the functionality of the ERES user interface. The menu-driven structure allows users to select features that relate to the specific cases of interest from drop-down menus.

Different categories of users will use output data from ERES in different ways, constituting different “use cases”. For example, MHK device developers and project developers may be most concerned with details of different technologies and wind farm geometries and the environmental risks each may pose. Regulators and researchers may be concerned with all the details of risk computations as well as the

outputs and visualizations. Members of the interested public may be most concerned with the degree of impact expected and how those risks may affect them individually—for example, in terms of electricity costs, property values, and viewshed impacts.




Figure 2. Stylized example of the ERES user interface. The boxes represent drop-down menus that will allow the user to interact with the ERES and KMS. The user would be able to customize a risk analysis by choosing specific case attributes (receptors or technologies) and environmental data, then applying analytical tools (risk models), customizing the outputs (risk datasheets or matrices), and specifying the communication products (visualization, cumulative frequency distributions).

Under the current project, a mockup of the visualization interface will be presented in the form of a series of PowerPoint slides. The mockup will represent selected modes of application of the ERES in a decision environment and will convey the overall vision for this risk-informed decision support tool. For the purposes of the mock up, three use cases will be defined; the themes that will be mocked-up for each case are outlined below.

1. Developer Use Case:

- different sizes and locations of wind farms
- different wind turbine generator technologies
- aggregated and disaggregated risk metrics (e.g., risk contours, cumulative distribution functions, measles chart, spatial dependence).

2. *Regulator and Researcher Use Case:*

- model/analytical flow diagram
- knowledge management system
 - multiple study comparisons
 - input uncertainty depiction
 - input characterization (time and space, metadata, other assumptions)
 - environmental data (birds, whales, fish, winds, other)
 - receptor data (bird migration routes, fish harvest activity, shipping lanes)
- complex model
 - multiple model icons, model choice (e.g., bird/ship collision risk, viewscape visualization, noise propagation contours, electromagnetic field densities)
 - functionality of model(s)
 - output of model(s).

3. *Interested Public Use Case:*

- viewshed visualization
 - alternative wind farm locations and sizes
 - alternative vantage points
 - alternative visibility conditions
- social networking data, comment information.

As an example, Figure 3 displays environmental data on wind speed vs. elevation (e.g., regulator and researcher use case) as it could appear within the ERES software interface. This elementary example shows wind speeds over an ocean area at an elevation of 50 m. The stippled areas show layouts for offshore wind farms at two locations, nearshore and in deeper water. The relative risk of deployment and environmental effects could be derived from applying the ERES tools to determine tradeoffs between the increased cost of deploying farther from shore and capturing the stronger winds.




Figure 3. Example of visualization of ERES data.

5.0 Transition from Mockup to Full Functionality

The offshore wind ERES and KMS mockup described in this report will provide a preview of the functionality of a fully developed risk evaluation system that could be used to assess environmental risks associated with offshore wind energy development. The fully functional waterpower ERES and KMS will be developed by PNNL in the 2010–2012 fiscal years and will demonstrate capabilities of the system as it applies to MHK. For both water and wind power, when fully developed, the proposed risk evaluation system and associated KMS will use risk assessment techniques to determine priority stressors on aquatic organisms and environments from specific technology aspects, identify key uncertainties underlying high-risk issues, compile a wide range of data types in an innovative and flexible data organizing scheme, and inform planning and decision processes with a transparent and technically robust decision-support tool.



Pacific Northwest
NATIONAL LABORATORY

*Proudly Operated by **Battelle** Since 1965*

902 Battelle Boulevard
P.O. Box 999
Richland, WA 99352
1-888-375-PNNL (7665)

www.pnl.gov



U.S. DEPARTMENT OF
ENERGY